



AGRICULTURE, CONSTRUCTION, UTILITY

AND OTHER EQUIPMENT APPLICATIONS



AGCO
Yanmar
Case
John Deere
Kubota
MacDon
New Holland
JCB
McCormick

Mitigate risks and stay connected

with heavy-duty, audio/video and safety solutions by REI.

Our innovative solutions are engineered and manufactured for durability and reliability to power through the days with you.

Each is rigorously tested to withstand:

- Vibration
- Dynamic loads
- Extreme temperatures
- Power fluctuations
- Humidity
- Years of rugged use

We're proud to offer the following for commercial and industrial use:

- Radios
- Radio harnesses
- Speakers
- Mounting kits
- Antennas
- Camera observation kits
- Cables

Beyond durability and superior performance, REI products feature seamless integration with existing solutions.

Trust a longstanding innovator with hundreds of satisfied OEMs in the agriculture, construction and commercial vehicle markets.

Contact REI today.

engineered to defy the elements



CONTENTS

HEAVY-DUTY RADIOS	4
RADIO HARNESSSES	6
RADIO KITS	14
SPEAKERS.	17
ANTENNAS	19
ACCESSORIES	20
CAMERA OBSERVATION.	21
SUPPORT AND WARRANTY.	22

REI is superior

- Custom solutions for OEMs
- All-in-one solutions provider
- More than 80 years of industry experience
- 24/7/365 Support based in the U.S.
- Outstanding warranty program

heavy-duty, in-dash radios

ST-1000

AM/FM/WB Stereo Radio
(2.75" shallow-depth chassis)



AUX

WB

ITEM	PART #
ST-1000 with D6 connector	701189D6
ST-1000 with ISO connector	701193

ST-4050

AM/FM/WB Stereo Radio
(2.93" shallow-depth chassis)



MP3

WMA

USB

AUX

WB

iPod

ITEM	PART #
ST-4050 with D6/ISO connector	710797

VR-5650

AM/FM/CD/DVD Stereo Radio With Bluetooth®



CD

MP3

USB

BT

AUX

WB

DVD

iPod

ITEM	PART #
VR-5650 with D6/ISO connector	760963

ST-5050

AM/FM/WB Stereo Radio
(2.93" shallow-depth chassis)



MP3

WMA

USB

BT

AUX

WB

iPod

ITEM	PART #
ST-5050 with D6/ISO connector	760946

AW-20

AM/FM/WB Stereo Radio
(3.21" shallow-depth chassis)



MP3

WMA

USB

AUX

BT

WB

ITEM	PART #
AW-20	710617

For a complete list of radio harnesses, see pages 6-13. For specialty radios, see pages 14-16.

radio comparison



AW-20



ST-1000



ST-4050



ST-5050



VR-5650

	AW-20	ST-1000	ST-4050	ST-5050	VR-5650
Depth	Shallow	Shallow	Shallow	Shallow	Standard
Preset stations	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB
Power output	50 Watts x 4	50 Watts x 2	50 Watts x 4	50 Watts x 4	50 Watts x 4
Operating voltage	+12 VDC	+12 VDC	+12 VDC	+12 VDC	+12 VDC
Compact disc with anti-skip mechanism					●
CD / DVD player					●
MP3/WMA playback	●		●	●	●
WB (Weather Band)	●	●	●	●	●
USB					
Front-panel type-A input			●		
Rear type-A input	●			●	●
Smartphone charge port in USB MODE	1.0A		1.5A	1.5A	1.5A
Bluetooth®					
Audio streaming	●			●	●
Hands-free calling				●	●
Smartphone/portable media player¹					
Built-in iPod®/iPhone®¹/Android charging	●		●	●	●
Built-in iPod®/iPhone®¹ controls			●	●	●
AUX					
Front panel connects iPods, MP3 players and portable media players		●	●	●	●
Rear/RCA audio input jack	●	●	●	●	●
USA/EURO radio frequency modes	●	●	●	●	●
Station presets stored during power loss	●	●	●	●	●
Clock		●	●	●	●
Coin cell battery (10 years)			●	●	●
RDS text²	●		●	●	●
Radio chassis connector	ISO	ISO / D6	ISO	ISO	ISO
SAEJ1455 compliant	●	●	●	●	●

¹ Early-model iPods are not supported because they do not implement the USB control protocol. They may be connected to the radio using auxiliary inputs if available.

² Radio stations broadcasting RDS may not be available in your listening area.

radio harnesses

AGCO

Speaker Power
AGCO



15" ISO Connector to bare wires




D6 to Wire
AGCO



CASE/IH

ISO Power Adapter
Case/IH/JCB/McCormick/New Holland/LS Tractor



CATERPILLAR

D6 Radios




ISO




DOOSAN

24V



HITACHI

24V



HYUNDAI

24V




JOHN DEERE


Speaker/Power Adapter



55/60 Series Row Crop




ISO to John Deere 13-Pin



CLC Excavators



Mini Excavator
John Deere/Kubota



Adapter to John Deere 6-Pin



KUBOTA

D6 to Kubota/L-10 Series
Kubota/New Holland/LS Tractor



512228



511655

Speaker Power
AGCO/Kubota




511644

ISO to Kubota



530175


ISO to Kubota
M6 Series



512353

KIOTI

D6 to Kioti




513041



512643

KOMATSU

24V



512994

MAHINDRA/KUBOTA

ISO to Mahindra



512353

NEW HOLLAND BOOMER/LS TRACTOR

D6 to Yazaki



512767

ISO to Yazaki



513042

TYM

D6 to TYM



512561

YANMAR

YT2/YT3




513015

ISO to Yanmar VIO80/SV 100-1




513015

75/100 Series



513039



512255

**REI also supports the
following dealers:**

- Bobcat
- Branson
- Daewoo
- DEUTZ-FAHR
- Gehl/Mustang
- Kenworth
- Kioti
- Komatsu
- Mahindra
- Manitou
- Peterbilt
- Sterling
- TYM
- Volvo

Call 800.228.9275 for more information.

radio harnesses

AGCO

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
AGCO DT Series						
A, 120	●		●	●	●	511834
160, 180, 200, 225	●		●	●	●	511751
B		●				512202
AGCO GT Series						
	●		●	●		511978
AGCO GT Series (older models with cab)	●		●	●	●	511846
AGCO GT Series (older models with canopy)	Use any roof-mount or fender-mount radio					
AGCO GT Series (older models without cab or canopy)	Use any fender-mount radio					
AGCO LT Series						
A, 70, 75, 85, 90	●		●	●	●	511834
AGCO RT Series						
95, 115	●		●	●	●	511664
130, 145	●		●	●	●	511751
100, 120, 135, 150	●		●	●	●	511834
AGCO ST Series						
	●		●	●	●	511978
Challenger MT Series						
300			●	Short chassis D6 only		511834
445, 455, 465, 535, 545	●	●		●	●	N/A Plug and Play
565, 635, 645, 655, 665, 765	●		●	●	●	511751
B Series	●		●	●	●	511834
C	●	●		●	●	512202
Fendt Series						
400, 700, 900	●		●	●	●	511752
926	●		●	●	●	511637
Gleaner Combines						
	●		●	●	●	N/A Plug and Play
Hesston						
Hesston 9635 SP Windrower	●	●		●	●	ISO
Other Hesston Windrowers	●		●	●	●	N/A Plug and Play
Massey Ferguson Combines						
8680, 8780	●		●	●	●	N/A Plug and Play
Massey Ferguson Swathers						
220 Series II			●			Punch out an opening for the radio
2650						511834
1500			●			511978
8560	●	●	●	●	●	512202
300, 1635, 1700, 4600	●	●		●	●	ISO

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
Massey Ferguson Tractors						
400, 500, 533, 543, 563, 573, 583, 593, 596	●		●	●	●	511845
4300 Orchard Cab	●	●	●	●	●	511315
4608, 4610	●			●	●	N/A Plug and Play
4700	●			●	●	512202
7600			●	Short chassis D6 only		511834
8600						512202
Spra-Coupe						
4460	●	●		●	●	ISO
Melrose	●		●	●	●	511692

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
86-88	750225 Case/IH 86/88 Series kit (AM/FM/WB) includes mounting panel					N/A Plug and Play
90-94-96 (cut and splice)			•			N/A Plug and Play
1400 and 1600 Combine (cut and splice)			•			N/A Plug and Play
2100 Series Combine			•			511505
2300 Series Combine	•			•	•	N/A Plug and Play
8010 Combine	•	•		•	•	512231
CX	•	•		•	•	512231
DX	•	•		•	•	512231
Farm All	•	•		•	•	512231
JX 65, 80, 95	•	•		•	•	512231
JXU	•	•		•	•	512231
Maxxum and Magnum (early series)	•		•	•	•	N/A Plug and Play
9230 (9000 Series)	•		•	•	•	N/A Plug and Play
MX 110, 120, 180, 200	•	•		•	•	511365
MX 230	•	•		•	•	512231
MX 270	•	•		•	•	512231
MXM	•	•		•	•	512231
Puma	•	•		•	•	512231
STX	•	•		•	•	512231
WDX Windrowers	•		•	•	•	N/A Plug and Play
2007 and later	•	•		•	•	512231

radio harnesses

JCB

TRACTOR MODEL	RADIO PART #				HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-5050 760946	ST-4050 710797	
JCB	•	•	•	•	512231

JOHN DEERE

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
10 Series	•		•	•		510817
15 Series	•	•		•	•	N/A Plug and Play
20 Series	•	•		•	•	N/A Plug and Play
25 Series	•	•		•		N/A Plug and Play
30/40 Series						N/A Plug and Play
R4030 Sprayer	•	•		•		511985
50 Series						N/A Plug and Play
55/60 Series Row Crop	•	•	•	•		510818
60/70 Series 4WD	•		•	•		510818
5000 Series	•	•		•		N/A Plug and Play
5055E	•	•		•		ISO
5075E	•	•		•		N/A Plug and Play
5085E	•	•		•		N/A Plug and Play
5090E	•	•		•		N/A Plug and Play
5100E	•			•		N/A Plug and Play
5125R	•		•	•		510817
5085M	•	•		•		N/A Plug and Play
5090M	•	•		•		N/A Plug and Play
5100M	•	•		•		N/A Plug and Play
5115M	•	•		•		N/A Plug and Play
5090R, 5100R, 5115R, 5125R	•	•		•		N/A Plug and Play
6000/7000/8000 Series	•		•	•		510817
7700	•		•	•		510817
7800	•		•	•		510817
6120M	•		•	•		512178
6150M	•		•	•		510559
8130	•	•	•	•		N/A Plug and Play
8410	•			•		510817
9360R	•	•	•	•		ISO
Combine Pre-1991	•		•	•	•	512178
Combine 1991-2005	•		•	•	•	510559
Combine 2006 and later	•	•		•	•	N/A Plug and Play

JOHN DEERE

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
John Deere Construction Equipment						
Mini Excavator			•	Short-chassis D6 only		511255
CLC Excavators	•	•		•	•	512484
Motor Graders	•	•		•	•	N/A Plug and Play
Wheel Loaders	•	•		•	•	N/A Plug and Play

KUBOTA

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
M Series 4900, 5700, 6800, 8200, 9000	•		•	•	•	511644
Other M, L and RTV 1100 Series	•		•	•	•	511655
Kubota Mini Excavator			•			511255
Kubota M6-1111	•	•		•	•	512353
Kubota KX057-4 and U55 Excavator	750239 (Kit includes ST-1000 AM/FM/WB/AUX, bullet connector wiring harness and mounting bracket. Compatible with new and old excavators.)					513042

LS TRACTOR

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-5050 760946	ST-5050 710717	ST-4050 710797	
XR Series	•		•		•	513042
MT 125	•	•	•	•	•	513045
MT 225 S	•	•		•	•	513045

MACDON

TRACTOR MODEL	RADIO PART #			HARNESS PART #
	VR-5650 760963	ST-5050 760946	ST-4050 710797	
MacDon	•	•	•	N/A Plug and Play

radio harnesses

McCORMICK

TRACTOR MODEL	RADIO PART #				HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-5050 760946	ST-4050 710797	
McCormick	•	•	•	•	512231

KIOTI TRACTOR

TRACTOR MODEL	RADIO PART #				HARNESS PART #
	VR-5650 760963	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
Kioti	•	•	•	•	513041

NEW HOLLAND

TRACTOR MODEL	RADIO PART #					HARNESS PART #
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 760946	ST-4050 710797	
40/60 Series, Case CX	•					512228
A Series	•	•		•	•	512231
Boomer Series 33-47, 3000, CVT	•		•	•	•	513042
Genesis and Versatile	•		•	•	•	511655
8770 (70 Genesis Series)	•			•	•	511655
Power Star 40	•	•		•	•	512231
Power Star 60	•	•		•	•	512231
TG, TL, TM, TJ, TN, TS	•	•		•	•	512231
2450, 2550 Windrower	•		•	•	•	N/A Plug and Play
TR 87, 96, 97	•		•	•	•	511655
TV 140	•		•	•	•	511655
TW	•		•	•	•	511655
LB90.B (Backhoe)	•	•		•	•	N/A Plug and Play
2007 and later	•	•		•	•	512231

construction equipment

YANMAR

TRACTOR MODEL	RADIO PART #						HARNESS PART #	
	VR-5650 760963	ST-1000 701193	ST-1000 701189D6	ST-5050 710717	ST-5050 760946	ST-4050 710797		
Yanmar Mini Excavators								
VIO35-6A, VIO45-6A, VIO50-6A, VIO55-6A, SV40	760937 (Kit includes ST-1000 AM/FM/WB/AUX radio, custom mounting bracket and antenna) or kit 760950 (ST-5050 Bluetooth radio, custom mounting bracket and antenna)						513039	
VIO80			●		●	●	513039	
VIO80-1	760955 (Kit includes ST-5050 Bluetooth radio and 512968 wiring harness.)						●	512968
VIO80-1A, SV100-2A	760955 (Kit includes ST-5050 Bluetooth radio and 512968 wiring harness.)							512968
SV100*	●			●	●	●	512255	
SV100-1			●		Short-chassis D6 only	●	512968	
VIO 27, 35, 45, 55-5B			●		●		511834	
YanMar Mini Excavators								
V4-7, V8, V10, V12		●		●		●	ISO	
V4-6	(210066 antenna and 220040 4" speakers required.)			●		●	ISO	

*750209 Kit includes two 4"-square speakers and wiring harness.

radio kits

Yanmar Custom Kits



AM FM AUX WB



AM FM AUX WB BT

Kit includes:

- Flexible AM/FM antenna with 60" cable (210066)
- Mounting hardware

ITEM	PART #
Yanmar ST-1000 Excavator Kit	760937
Yanmar ST-5050 Excavator Kit	760950
Yanmar ST-5050 Excavator Kit	760955

AW-20 Kit w/ Universal-Mount Bracket



MP3 WMA USB BT AM FM AUX WB

- Two 4" weatherproof speakers
- Universal mounting bracket
- Great solution for skid steers and smaller equipment

ITEM	PART #
AW-20 Kit	750292

Roof-Mount Stereo Universal Housings



MP3 WMA USB BT iPod AM FM AUX WB

- Flexible AM/FM antenna with 60" cable (210066)
- Mounting hardware

ITEM	PART #
ST-5050 Roof-Mount Kit	760945

Roof-Mount Stereo Universal Housings



AM FM AUX WB

- Universal mounting
- 7.75" W x 8.5" H x 5.25" D
- 12 VDC negative ground
- Includes antenna with 60" cable

ITEM	PART #
ST-1000 Roof-Mount Kit with bare wires	760914



AM FM AUX WB

- Universal mounting
- 21.5" W x 2.7" H x 8.75" D
- 12 VDC negative ground

ITEM	PART #
REC-2-4W ST-1000	760910

Universal Housings



760871



550344

- Built-in stereo speakers (760871)
- Universal mounting
- 21.75" W x 2.75" H x 9" D (760871)
- 10" W x 3.5" H x 9" D (550344)
- Mounts flush to header
- Includes mounting hardware (550344)

ITEM	PART #
Roof-mount stereo universal housing	760871
Roof-mount stereo universal housing without speakers	550344

radio kits

Panel/Bezel Radio Kits



AM FM AUX WB

- 12 VDC negative ground

ITEM	PART #
ST-1000 for John Deere 30-40 Series - Black Bezel Radio Kit (Not compatible with single-speaker cab system)	701190
ST-1000 for John Deere 50 Series - Brown Bezel Radio Kit	701191

Kit includes:



- OEM replacement housing/bezel
- Harness adapter

Panel/Bezel Radio Kits



AM FM AUX WB

- 2.75" mounting depth
- 12 VDC negative ground

ITEM	PART #
ST-1000 Radio for Case/IH 86/88 Series Radio Kit	750225

Fender-Mount Radio Kits



AM FM AUX WB

- Exclusive roll-a-cover design protects from dust and moisture
- 11" W x 11.5" H x 9" D
- 12 VDC negative ground only
- Ideal for open-station cabs

ITEM	PART #
ST-1000 Fender-Mount Kit with bare wires	760909

Kit includes:

- Two built-in stereo speakers
- 1/4" headphone jack
- Mounting hardware

speakers


Speakers in Housings



- 4" two-way coax speakers
- Polypropylene/mylar weatherproof speaker
- UV-protected plastic enclosure
- 120 Watts max power
- 4 OHMS impedance

ITEM	PART #
5" W x 4" H x 3.5" D Speakers in weatherproof black housings (WP-402BKH) (Includes two speakers)	230073

5" Speakers




- Full-range speaker
- 30 Watts max power
- 4 OHMS impedance



Grille
240040


ITEM	PART #
5" Speaker	220035

4" Square Speaker



220040

- Full-range speaker
- 30 Watts max power
- 4 OHMS impedance



240027


ITEM	PART #
4" Speaker	220040



- 5.42" W x 5.42" H x 4.3" D
- 70 Watts max power
- 4 OHMS impedance


ITEM	PART #
5" Dual-Cone Speaker (includes two speakers)	760663

4" x 6" Full-Range Speaker



5.19"

- 25 Watts max power
- 4 OHMS impedance




6.4"


Grille
240052

ITEM	PART #
4" x 6" Full-Range Speaker	220053

5.25" Speaker with Poly Cone



- 10 Watts max power
- 4 OHMS impedance
- 100 Watts max power
- 4 OHMS impedance
- 1" dome tweeter




Grille
240060


ITEM	PART #
5.25" Speaker with poly cone - 10W	220015
5.25" Speaker with poly cone - 100W	220067
Speaker and grille	220094

speakers

Coax Speakers




- 45 Watts max power
- 4 OHMS impedance
- Two-pin harness plug
- 1" dome tweeter




Grille
240027

ITEM	PART #
4" Coax Speaker	220062




- 70 Watts max power
- 1" Dome tweeter
- 4 OHMS impedance



Grille
240040

ITEM	PART #
5" Coax Speaker	220073




- 50 Watts max power
- Ferrofluid-cooled voice coil
- 4 OHMS impedance



Grille
240032


ITEM	PART #
5.25" Coax Speaker	220049

Speakers with Grilles



- Dual-cone speaker
- 30 Watts max power
- 4 OHMS impedance


ITEM	PART #
4" One-piece speaker with grille	220078
6" One-piece speaker with grille (shown)	220026



- OEM replacement for Case/IH 86/88
- 25 Watts max power
- 4 OHMS impedance

ITEM	PART #
4" x 8" One-piece speaker with grille	230042

5" x 7" Full-Range Speaker



- 30 Watts max power
- 4 OHMS impedance


ITEM	PART #
5" x 7" Full-Range Speaker	220037

antennas

Reception is crucial. Stay connected with REI antennas and extension cables, available in a variety of models and lengths to fit all types of radios.

Flexible AM/FM Antennas

Universal-Mount Antenna




- Flexible, rustproof, wire-wound mast with rubber coating
- Split-ball adjustable base with included 60" antenna cable
- Male Motorola® plug

ITEM	PART #
Flexible AM/FM Antenna with 60" cable	210066
Flexible AM/FM Antenna with 82" cable	210056
Flexible AM/FM Antenna with 192" cable	210123
Replacement Rubber Mast	210067

AM/FM Steel-Mast Antennas

Side-Mount Antenna



- Male Motorola® plug
- Single-section 31" steel mast
- Includes 54" detachable antenna cable
- Side-mount/heavy-duty spring

ITEM	PART #
AM/FM Steel-Mast, Side-Mount Antenna	210015
Replacement Mast	210137


Spring-Loaded Antenna



ITEM	PART #
Spring-Loaded, Side-Mount Antenna with 129" cable	210106

AM/FM Top/Side Antenna

Universal-Mount Antenna



- Single-section 31" steel mast
- Universal top- or side-mount/heavy-duty spring
- Includes 54" antenna cable
- Mast adjustable to 180°
- Male Motorola® plug

ITEM	PART #
AM/FM, Top/Side Universal-Mount Antenna	210098

Replacement Mast Kits

Fender-Mount Radio Antenna



RAF-4W Fender-Mount Radio Antenna



- Telescoping mast
- Spring-loaded base
- Stainless steel

ITEM	PART #
Fender-Mount Radio Antenna Replacement Mast	210042
RAF-4W Fender-Mount Radio Antenna Replacement Mast Kit with 12" antenna cable	210058

Telescoping Antenna

Pillar-Mount Antenna



ITEM	PART #
Telescoping, Pillar-Mount Antenna with 48" cable	210018

AM/FM Shark Fin Antenna



ITEM	PART #
AM/FM Shark Fin antenna with integrated amplifier	210145
36" with integrated antenna/power cable, antenna to radio (Motorola® male and 12-volt power wire)	530171
276" with integrated antenna/power cable, antenna to radio (Motorola® and 12-volt power wire)	530170

Note: 530170 or 530171 power cable required.

accessories

FM Signal Booster



- Amplifies FM signal an average of eight times
- Improves radio reception
- Extends station range
- Two-volt maximum total input
- Male Motorola® plug

ITEM	PART #
FM Signal Booster	210103

Headphones



- Wide, comfortable headband
- Coiled cord
- 1/4"/3.5 mm combination plug
- Independent volume control
- Stereo/mono switch

ITEM	PART #
Headphones	480042L

Antenna Extension Cables

Motorola Female to Motorola Male Plugs

ITEM	PART #
24" Extension Cable	530013
36" Extension Cable	530015
48" Extension Cable	530001
96" Extension Cable	530003
144" Extension Cable	530004

USB Input Extension



- USB 2.0
- 10" cable
- Panel mount

ITEM	PART #
USB Input Extension	512485

Noise Reduction Filter



- Compatible with most radios
- Easy to mount
- Heavy-duty, 18-gauge lead wires

ITEM	PART #
Noise Reduction Filter	450010

Bluetooth® Microphone

Designed to plug into Jensen surface-mount radios. See connector image for compatibility.



ITEM	PART #
4-Pin Microfit, 69"	480350

Converters/Adapters

EURO Antenna Adapter



ITEM	PART #
EURO Antenna Adapter	110650

FAKRA to EURO Antenna Adapter



ITEM	PART #
FAKRA to EURO Antenna Adapter	210180

camera observation

Prevent and mitigate accidents around your field or job site with quality-tested camera observation solutions. REI cameras and monitors provide extra visibility, day or night.

Standard Camera Observation System



Views may be tied to actions like reversing or turning, so drivers always see the most critical areas.

Kit includes:

- 7" color monitor (also sold separately, 710344)
- Mini Box Camera with heater
- 65' cable

ITEM	PART #
Standard Camera Observation Kit	760920

Mini Box Camera



- 120° horizontal/50° vertical FOV
- Built-in heater
- 12V DC
- IR for night vision
- Operating temp: -4° to 158° F
- Dust/waterproof (IP69K rating)

ITEM	PART #
Mini Box Camera	710848

5" LCD Color Monitor



- 5" diagonal screen
- Waterproof (IP67 rating)
- Single camera view
- Three camera inputs
- Designed for open-station cabs

ITEM	PART #
5" LCD Color Monitor	710528

Cables

5-Pin Female to 5-Pin Female Camera Cables

ITEM	PART #
15' Camera Cable	512400
33' Camera Cable	512401
65' Camera Cable	512369

Cable Kit

Cable Kit for Tractor/Trailer



Kit includes:

- 5' coiled cable with small 5-pin plugs
- Two 33' cables with 5-pin, panel-mount receptacles

ITEM	PART #
5' Cable Kit for tractor/trailer	512399

support and warranty

Experience complete solutions including 24/7/365 Support. Our team of experts is standing by to offer tech support, diagnose symptoms and provide feedback and instructions to reduce downtime.

Support: 877.726.4617

REI's Limited Warranty

Our warranty covers failures due to defects in materials and workmanship which occur during normal use. We will repair products, free of charge, as follows:

- **Within 90 days from the date of original purchase – speakers, antennas and housings**
- **Within one year from the date of original purchase – radios**

For warranty service, call our Customer Service at 877.726.4617, Monday through Friday, 7 a.m. – 5 p.m. CST.

count on us around the clock



REI[®]

6534 L Street, Omaha, NE 68117
800.228.9275 | 402.339.2200
radioeng.com | 24/7/365 Support