



AGRICULTURE, CONSTRUCTION, UTILITY

AND OTHER EQUIPMENT APPLICATIONS



Mitigate risks and stay connected

with heavy-duty, audio/video and safety solutions by REI.

Our innovative solutions are engineered and manufactured for durability and reliability to power through the days with you. Each is rigorously tested to withstand:

- Dynamic loads

AGCO

Yanmar Case

Kubota

MacDon

JCB

John Deere

New Holland

McCormick

- Extreme temperatures
 Years of rugged use

We're proud to offer the following for commercial and industrial use:

- Radios
- Radio harnesses
- Camera observation kits
- Cables
- Mounting kits

Beyond durability and superior performance, REI products feature seamless integration with existing solutions.

Trust a longstanding innovator with hundreds of satisfied OEMs in the agriculture, construction and commercial vehicle markets.



engineered to defy the elements

CONTENTS

HEAVY-DUTY RADIOS
RADIO HARNESSES
RADIO KITS
SPEAKERS
ANTENNAS
ACCESSORIES
CAMERA OBSERVATION
SUPPORT AND WARRANTY

- Custom solutions for OEMs
- More than 80 years of industry experience
- 24/7/365 Support based in the U.S.
- Outstanding warranty program

heavy-duty, in-dash radios

ST-1000		ST-4050		
AM/FM/WB Stere	eo Radio	AM/FM/WB Stereo	Radio	
(2.75" shallow-depth of	chassis)	(2.93* shallow-depth ch	nassis)	Death
REI ST-1000 INFATHERED		MUTE Refit 97-4500 AM/	(MAN SHITTER WAN)	Depth
				Preset stations
VOLISEL 1 2 3 4 E				Power output
		SRC 1 MI 2/PFT 3HOW 4Q	5-00 6 CP AUX	Operating voltage
AUX WB		MP3 WMA USB AUX	WB iPod	Compact disc with anti-skip mechanism
				CD/DVD player
ITEM	PART #	ITEM	PART #	MP3/WMA playback
ST-1000 with ISO connector	710831	ST-4050 with ISO connector	710738	WB (Weather Band)
				USB
				Front-panel type-A input
VR-5650		ST-5050		Rear type-A input
AM/FM/CD/DVD Stereo Rac	lio with Bluetooth®	AM/FM/WB Stereo (2.93" shallow-depth ch	AM/FM/WB Stereo Radio	
	D/MP3/BT(WEATHER BANG) EJECT			Bluetooth™
			3/BT (WEATHER BAND)	Audio streaming
Rerosmith Rerosmith			CALL SRC	Hands-free calling
CISETUP	A SE END VEINU	DIT INT INT INT INT INT INT INT INT INT I		Smartphone/portable media player ¹
CD MP3 USB BT AUX	K WB 💇 iPod	MP3 WMA USB BT AU	JX WB iPod	Built-in iPod®/iPhone®1/Andri charging
ITEM	PART #	ITEM	PART #	Built-in iPod®/iPhone®1 contro
	710767	ST-5050 with ISO connector	710717	AUX
VR-5650 with ISO connector	10/0/		/10/1/	Front panel connects iPods, MP3 players and portable me players
AW-20		AW-30		Rear/RCA audio input jack
AM/FM/WB Stered (3.21" shallow-depth c		AM/FM/WB/USB Ster with Bluetooth®		USA/EURO radio frequency modes
	X	REI	W-30	Station presets stored during power loss
			BUSB6T	Clock
		1 2,2 3107 4100 500 ONUT ON + BAND	SRC	Coin cell battery (10 years)
in an	/			RDS text ²
				Radio chassis connector
MP3 WMA USB AUX	BT WB	MP3 WMA USB AUX	BT WB	SAEJ1455 compliant
ITEM	PART #	ITEM	PART #	
AW-20	710617	AW-30	710852	

Early-model iPods are not supported because they do not implement the USB control protocol. They may be connected to the radio using auxiliary inputs if available. ² Radio stations broadcasting RDS may not be available in your listening area.

For specialty radios, see pages 14-16.

radio comparison

AW-20 Shallow

12 FM/6 AM 7 WB

50 Watts x 4 +12 VDC

•

1.0A

ISO

		PIDI IPIDE	o an MR Fast Annual Matter	
	* (1) W * 2 2 4 5 4 W W *			
AW-30	ST-1000	ST-4050	ST-5050	VR-5650
Shallow	Shallow	Shallow	Shallow	Standard
18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB	18 FM/12 AM 7 WB
25 Watts x 2	50 Watts x 2	50 Watts x 4	50 Watts x 4	50 Watts x 4
+12/24 VDC	+12 VDC	+12 VDC	+12 VDC	+12 VDC
				•
				•
•		•	•	•
•	•	•	•	•
		•		
•			•	•
1.0A		1.5A	1.5A	1.5A
-			_	_
•			•	•
•			•	•
•		_	-	-
•		•	•	•
		•	•	•
	•	•		
	•	•	•	•
•	•	•	•	•
•	•	•	•	•
-	-	-	-	-
•	•	•	•	•
•	•	٠	٠	•
SUPERCAP		٠	٠	•
•	•	•	•	•
9PIN	ISO	ISO	ISO	ISO
•				
•	•	•	•	•

radio harnesses



radio applications

AGCO


TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
AGCO DT Series	/10/0/	/10001	/10/1/	/10/00
A, 120	•		•	•
160, 180, 200, 225	•		•	•
В		•		
AGCO GT Series	•		•	
AGCO GT Series (older models with cab)	•		•	•
AGCO GT Series (older models with canopy)		Use any roof-mount c	or fender-mount radio	
AGCO GT Series (older models without cab or canopy)	-	Use any fende	er-mount radio	
AGCO LT Series				
A, 70, 75, 85, 90	•		•	•
AGCO RT Series				
95, 115	•		•	•
130, 145	•		•	٠
100, 120, 135, 150	•		•	•
AGCO ST Series	•		•	•
Challenger MT Series				
300				
445, 455, 465, 535, 545	•	•	•	•
565, 635, 645, 655, 665, 765	•		•	•
B Series	•		•	•
С	•	•	•	•
Fendt Series				
400, 700, 900	•		•	•
926	•	-	•	•
Gleaner Combines	•		•	•
Hesston			-	
Hesston 9635 SP Windrower	•	•	•	•
Other Hesston Windrowers	•		•	•
Massey Ferguson Combines	-			
8680, 8780	•		•	•
Massey Ferguson Swathers				
220 Series II				
2650				
1500				
8560	•	•	•	٠
300, 1635, 1700, 4600	•	•	•	•

TRACTOR MODEL	
	VR-565C 710767
Massey Ferguson Tractors	
400, 500, 533, 543, 563, 573, 583, 593, 596	•
4300 Orchard Cab	•
4608, 4610	•
4700	•
7600	
8600	
Spra-Coupe	
4460	•
Melrose	•

TRACTOR MODEL	
	VR-565 710767
86-88	750225 Ca
90-94-96 (cut and Splice)	
1400 and 1600 Combine (cut and splice)	
2100 Series Combine	
2300 Series Combine	•
8010 Combine	•
CX	•
DX	•
Farm All	•
JX 65, 80, 95	•
JXU	•
Maxxum and Magnum (early series)	•
9230 (9000 Series)	•
MX 110, 120, 180, 200	•
MX 230	•
MX 270	•
MXM	•
Puma	•
STX	•
WDX Windrowers	•
2007 and later	•

AGCO

RADIO PART



CASE/IH

RADIO PART # ST-5050 710717 ST-4050 710738 ST-1000 710831 ase/IH 86/88 Series kit (AM/FM/WB) includes mounting panel • ٠ • ٠ • • • ٠ • • ٠ • ٠ • • • • • • ٠ • ٠ • • ٠ ٠ ٠ ٠ • • • ٠ ٠ • ٠ ٠ ٠ ٠ • ٠ • ٠ ٠ •

For harness information, please contact Sales.

radio applications



JOHN DEERE

JCB

IS SeriesIS SeriesIS SeriesIS Series20 SeriesIS SeriesIS Series30/40 SeriesIS IS SeriesIS IS Series84030 SprayerIS IS IS SeriesIS IS I	TRACTOR MODEL	RADIO PART #			
IS SeriesIS SeriesIS SeriesIS Series20 SeriesIS SeriesIS Series30/40 SeriesIS IS SeriesIS IS Series84030 SprayerIS IS IS SeriesIS IS I		VR-5650 710767			ST-4050 710738
O SeriesO Mathematical Control25 SeriesI Mathematical Control30/40 SeriesI Mathematical Control84030 SprayerI Mathematical Control50 SeriesI Mathematical Control50/70 Series Row CropI Mathematical Control60/70 Series Row CropI Mathematical Control60/70 Series Row CropI Mathematical Control60/70 Series AWDI Mathematical Control50/80 SeriesI Mathematical Control50/80 SeriesI Mathematical Control50/81 Mathematical ControlI Mathematical Control50/82 Mathematical ControlI Mathematical Control50/82 Mathematical ControlI Mathematical Control50/80 Mathematical ControlI Mathematical Control60/7000/800 SeriesI Mathematical Control60/7000/800 SeriesI Mathematical Control61/90 Mathematical ControlI Mathematical Control61/	10 Series	•		•	
Series	15 Series	•	٠	•	٠
30/40 SeriesImage: seriesImage: series60/30 SprayerImage: seriesImage: series55/60 Series Row CropImage: seriesImage: series60/70 Series AWDImage: seriesImage: series5000 SeriesImage: seriesImage: series50555Image: seriesImage: series50566Image: seriesImage: series50575Image: seriesImage: series5006Image: seriesImage: series5007Image: seriesImage: series5058Image: seriesImage: series50590MImage: seriesImage: series5050MImage: seriesImage: series5050MImage: seriesImage: series5050MImage: seriesImage: series5050MImage: seriesImage: series5050MImage: seriesImage: series5050MImage: seriesImage: series700Image: seriesImage: series700Image: seriesImage: series6150MImage: seriesImage: series6150MImage: seriesImage: series6150MImage: seriesImage: series6160MImage: seriesImage: series6170MImage: seriesImage: series6180MImage:	20 Series	•	٠	•	٠
R4030 SprayerImage: space spa	25 Series	•	•	•	
So SeriesImage: seriesImage: series55/60 Series Row Crop••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••• <td< td=""><td>30/40 Series</td><td></td><td></td><td></td><td></td></td<>	30/40 Series				
5X/60 Series Row Crop•••••···································································································································································································	R4030 Sprayer	•	•	•	
O/70 Series 4WDImage: series 4WDImage: series 4WDImage: series 4WD5000 SeriesImage: series 4WDImage: series 4WDImage: series 4WD5055EImage: series 4WDImage: series 4WDImage: series 4WD5075EImage: series 4WDImage: series 4WDImage: series 4WD5075EImage: series 4WDImage: series 4WDImage: series 4WD5075EImage: series 4WDImage: series 4WDImage: series 4WD5085MImage: series 4WDImage: series 4WDImage: series 4WD5090MImage: series 4WDImage: series 4WDImage: series 4WD <t< td=""><td>50 Series</td><td></td><td></td><td></td><td></td></t<>	50 Series				
5000 SeriesImage: seriesImage: series5055EImage: seriesImage: series5075EImage: seriesImage: series5075EImage: seriesImage: series5085EImage: seriesImage: series5090EImage: seriesImage: series500EImage: seriesImage: series510DEImage: seriesImage: series5125RImage: seriesImage: series5090MImage: seriesImage: series700Ima	55/60 Series Row Crop	•	•	•	
SOSSEImage: source of the sector	60/70 Series 4WD	•		•	
5075EImage: source of the source	5000 Series	•	•	•	
5085EImage: source of the source	5055E	•	•	•	
5090EImage: source of the sector	5075E	•	•	•	
5100EImage: state	5085E	•	٠	٠	
5125RImage: state	5090E	•	٠	•	
5085MImage: state of the state o	5100E	•		٠	
5090MImage: selection of the sel	5125R	•		•	
5100MImage: state of the state o	5085M	•	•	٠	
5115MImage: state of the state o	5090M	•	•	•	
5090R, 5100R, 5115R, 5125R•••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••• <td>5100M</td> <td>•</td> <td>•</td> <td>•</td> <td></td>	5100M	•	•	•	
6000/7000/8000 Series•••7700••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••• <t< td=""><td>5115M</td><td>•</td><td>•</td><td>•</td><td></td></t<>	5115M	•	•	•	
T700Image: selection of the sele	5090R, 5100R, 5115R, 5125R	•	•	•	
7800 Image: Marcine State	6000/7000/8000 Series	•		•	
6120M ● ● 6150M ● ● 8130 ● ● 8410 ● ● 9360R ● ● Combine Pre-1991 ● ● 0 ● ●	7700	•		•	
6150M Image: Second s	7800	•		•	
8130 • • •	6120M	•		•	
8410 • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	6150M	•		•	
9360R • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td>8130</td> <td>•</td> <td>•</td> <td>•</td> <td></td>	8130	•	•	•	
9360R • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td>8410</td> <td>•</td> <td></td> <td>•</td> <td></td>	8410	•		•	
Combine Pre-1991 ● ● ● Combine 1991-2005 ● ● ●	9360R	•	•	•	
Combine 1991-2005 • •		•	_	•	•
		•		•	•
	Combine 2006 and later	•	•	•	•

TRACTOR MODEL	
	VR-5650 710767
John Deere Construction Equipmer	nt
Mini Excavator	
CLC Excavators	•
Motor Graders	•
Wheel Loaders	•

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
M Series 4900, 5700, 6800, 8200, 9000	•		•	•
Other M, L and RTV 1100 Series	•		•	•
Kubota Mini Excavator				
Kubota M6-1111	•	•	•	٠
Kubota KX057-4 and U55 Excavator		750239 (Kit includes ST-1000 AM/FM/WB/AUX, bullet connector wiring harness and mounting bracket. Compatible with new and old excavators.)		

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
XR Series	•			•
MT 125	٠	٠	٠	٠
MT 225 S	٠	٠	•	٠

TRACTOR MODEL		RADIO PART #	
	VR-5650 710767	ST-5050 710717	ST-4050 710738
MacDon	•	•	•

For harness information, please contact Sales.

JOHN DEERE



KUBOTA

LS TRACTOR

Μ	AC	D	O	Ν

For harness information, please contact Sales.

radio applications

construction equipment

McCORMICK TRACTOR MODEL RADIO PART # VR-5650 710767 ST-1000 710831 ST-5050 710717 ST-4050 710738 McCormick •

KIOTI TRACTOR

TRACTOR MODEL		RADIO PART #	
	VR-5650 710767	ST-5050 710717	ST-4050 710738
Kioti	•	•	•

NEW HOLLAND

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 710831	ST-5050 710717	ST-4050 710738
40/60 Series, Case CX				
A Series	٠	•	•	٠
Boomer Series 33-47, 3000, CVT	•		•	٠
Genesis and Versatile	٠		•	•
8770 (70 Genesis Series)	•		•	•
Power Star 40	٠	•	•	•
Power Star 60	٠	٠	•	٠
TG, TL, TM, TJ, TN, TS	٠	•	•	٠
2450, 2550 Windrower	٠		•	•
TR 87, 96, 97	٠		٠	٠
TV 140	٠		•	٠
TW	•		•	•
LB90.B (Backhoe)	٠	•	•	•
2007 and later	•	•	•	•

TRACTOR MODEL	RADIO PART #			
	VR-5650 710767	ST-1000 71 <mark>0831</mark>	ST-5050 710717	ST-4050 710738
Yanmar Mini Excavators				
VIO35-6A, VIO45-6A, VIO50-6A, VIO55-6A, SV40		000 AM/FM/WB/AUX radio, 5050 Bluetooth radio, custom		
VIO80				•
VIO80-1	760955 (Kit includes ST-	5050 Bluetooth radio and 512	2968 wiring harness.)	•
VI080-1A, SV100-2A	760955 (Kit includes ST-	760955 (Kit includes ST-5050 Bluetooth radio and 512968 wiring harness.)		
SV100*	•		•	•
SV100-1				•
VIO 27, 35, 45, 55-5B				
YanMar Mini Excavators				
V4-7, V8, V10, V12		•	•	•
V4-6	(210066 antenna and requi		•	•

*750209 Kit includes two 4"-square speakers and wiring harness.

YANMAR

For harness information, please contact Sales.

radio kits

Yanmar Custom Kits





AW-20 Kit w/ Universal-Mount Bracket





- Two 4" weatherproof speakers
- Universal mounting bracket
- Great solution for skid steers and smaller equipment

ITEM	PART #
AW-20 Kit	750292



Kit includes:

- Flexible AM/FM antenna with 60" cable (210066)
- Mounting hardware

ITEM	PART #
ST-1000 Yanmar A Series Excavator Kit	760937
ST-5050 Yanmar A Series Excavator Kit	760950
ST-5050 Yanmar VI080-1, SV100-2 Excavator Kit	760955
ST-5050 Yanmar VI080-7, SV100-7 Excavator Kit	760973

AW-30 Kit w/ Universal-Mount Bracket





- Two 4" weatherproof speakers
- Universal antenna

ITEM	PART #
AW-30 Kit	760974





Universal mounting
7.75" W x 8.5" H x 5.25" D
12 VDC negative ground

Includes antenna with 60" cable

ITEM	PART #
ST-1000 Roof-Mount Kit with bare wires	760914

Roof-Mount Stereo Universal Housings








Flexible AM/FM antenna with 60° cable (210066)
Mounting hardware

ITEM	PART #
ST-5050 Roof-Mount Kit	760945

Roof-Mount Stereo Universal Housings



Universal Housings



Roof-mount stereo universal housing without speakers

radio kits

	Panel/Beze	l Radio Kits		Speakers in I	Housings
		Kit includes:			4" two-way coax speakers Polypropylene/mylar weatherproof speaker UV-protected plastic enclosure 120 Watts max power 4 OHMS impedance
	n 11			ITEM	PART #
				5' W x 4' H x 3.5' D Speakers in weath black housings (WP-402BKH) (Includ 4" Square S	es two speakers)
AM FM WB			-		
• 12 VDC negative ground					 Full-range speaker 30 Watts max power 4 OHMS impedance
ITEM	PART #			8	4 On M3 Impedance
ST-1000 for John Deere 30-40 Series - Black Bezel Radio Kit (Not compatible with single-speaker cab system)	701190	OEM replacement housing/bezelHarness adapter		m l	4.23*
ST-1000 for John Deere 50 Series - Brown Bezel Radio Kit	701191			220040	240027
	I				PART #
Panel/Bezel Radio Kita	s	Fender-Mount Radio H	Kits	ITEM 4° Speaker	220040
				4" x 6" Full-Ran	ge Speaker • 25 Watts max power • 4 OHMS impedance
		AM FM AUX WB Exclusive roll-a-cover design protects from			$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \end{array} \end{array} \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} $
AM FM AUX WB		 I1" W x 11.5" H x 9" D 12 VDC negative ground only 		5.19*	0.1
 2.75" mounting depth 12 VDC negative ground		 I2 VDC negative ground only Ideal for open-station cabs 		ITEM	PART #
		ITEM	PART #	4* x 6* Full-Range Speaker	220053
ITEM	PART #	ST-1000 Fender-Mount Kit with bare wires	760909		
ST-1000 Radio for Case/IH 86/88 Series Radio Kit	750225	 Kit includes: Two built-in stereo speakers 1/4* headphone jack Mounting hardware 			

speakers

5" Speakers



5.25" Speaker with Poly Cone



- 10 Watts max power
- 4 OHMS impedance
- 100 Watts max power
- 4 OHMS impedance
- 1" dome tweeter



Grille 240060

ITEM	PART #
5.25" Speaker with poly cone – 10W	220015
5.25" Speaker with poly cone – 100W	220067
Speaker and grille	220094

speakers

Coax	Speakers	Speakers with Grilles
3155	 45 Watts max power 4 OHMS impedance Two-pin harness plug 1' dome tweeter 	• Dual-cor • 30 Watts • 4 OHMS
ITEM	PART #	*
4" Coax Speaker	220062	ITEM
		4" One-piece speaker with grille
		6" One-piece speaker with grille (shown)
ITEM	 1' Dome tweeter 4 OHMS impedance Grille 240040 PART # 	• OEM rep for Case/ • 25 Watts • 4 OHMS
5" Coax Speaker	220073	ITEM
5 COax Speaker	220073	4* x 8* One-piece speaker with grille
853	 50 Watts max power Ferrofluid-cooled voice coil 4 OHMS impedance 	5" x 7" Full-Range Speake
Y		* 4 OHMS
ITEM	PART #	
5.25" Coax Speaker	220049	4.37*

5.57 [*]	 OEM replacement for Case/IH 86/88 25 Watts max power 4 OHMS impedance 	
ΈM		PART #
x 8" One-piece speaker with grille		230042

• Dual-cone speaker

• 30 Watts max power • 4 OHMS impedance

PART #

220078

220026

PART # 220037



ITEM 5" x 7" Full-Range Speaker

all types of radios.

Flexible AM/FM Antennas

Universal-Mount Antenna



- Flexible, rustproof, wire-wound mast with rubber coating • Split-ball adjustable base with included 60" antenna cable
- Male Motorola® plug

ITEM	PART #
Flexible AM/FM Antenna with 60" cable	210066
Flexible AM/FM Antenna with 82" cable	210056
Flexible AM/FM Antenna with 192" cable	210123
Replacement Rubber Mast	210067

AM/FM Top/Side Antenna

Universal-Mount Antenna



- Single-section 31" steel mast
- Universal top- or side-mount/heavy-duty spring
- Includes 54" antenna cable
- Mast adjustable to 180° Male Motorola[®] plug

ITEM	PART #
AM/FM, Top/Side Universal-Mount Antenna	210098

Telescoping Antenna	
Pillar-Mount Antenna	a
ITEM	PART #
Telescoping, Pillar-Mount Antenna with 48" cable	210018

antennas

Reception is crucial. Stay connected with REI antennas and extension cables, available in a variety of models and lengths to fit

AM/FM Steel-Mast Antennas

Side-Mount Antenna



- Male Motorola® plug
- Single-section 31" steel mast
- Includes 54" detachable antenna cable
- Side-mount/heavy-duty spring

ITEM	PART #
AM/FM Steel-Mast, Side-Mount Antenna	210015
Replacement Mast	210137

Spring-Loaded Antenna



Replacement Mast Kits

Fender-Mount Radio Antenna

RAF-4W Fender-Mount Radio Antenna



- Telescoping mast
- Spring-loaded base
- Stainless steel

	1
ITEM	PART #
Fender-Mount Radio Antenna Replacement Mast	210042
RAF-4W Fender-Mount Radio Antenna Replacement Mast Kit with 12" antenna cable	210058

AM/FM Shark Fin Antenna



ITEM	PART #
AM/FM Shark Fin antenna with integrated amplifier	210145
36" with integrated antenna/power cable, antenna to radio (Motorola® male and 12-volt power wire)	530171
276" with integrated antenna/power cable, antenna to radio (Motorola® and 12-volt power wire)	530170

Note: 530170 or 530171 power cable required.

accessories





Antenna Extension Cables

Motorola Female to Motorola Male Plugs ITEM PART # 24" Extension Cable 530013 36" Extension Cable 530015 48" Extension Cable 530001 96" Extension Cable 530003 144" Extension Cable 530004

Noise Reduction Filter



 Compatible with most radios Easy to mount

• Heavy-duty, 18-gauge lead wires

ITEM Noise Reduction Filter PART # 450010

PART #

480350

#480356

OEM Bluetooth® Microphone

Designed to plug into Jensen surface-mount radios. See connector image for compatibility.



ITEM 4-Pin 3.5mm Microfit, 69"

Aftermarket Bluetooth[®] Microphone

Designed to plug into Jensen surface-mount radios. See connector image for compatibility.



ITEM	PART #
4-Pin Microfit Connector, 149*	480355
3.5mm Mono Connector, 149*	480356

Converters/Adapters	
EURO Antenna Adapter	FAKRA to EURO Antenna Adapter
ITEM	PART #
EURO Antenna Adapter	110650
FAKRA to EURO Antenna Adapter	210180

monitors provide extra visibility, day or night.



Mini Box Camera



- 120° horizontal/50° vertical FOV • Built-in heater
 - 12V DC
 - IR for night vision • Operating temp: -4° to 158° F
 - Dust/waterproof (IP69K rating)

ITEM	PART #
Mini Box Camera	710848

Cables

5-Pin Female to 5-Pin Female Camera Cables

ITEM	PART #
15' Camera Cable	512400
33' Camera Cable	512401
65' Camera Cable	512369

camera observation

Prevent and mitigate accidents around your field or job site with quality-tested camera observation solutions. REI cameras and

Standard Camera Observation System

Views may be tied to actions like reversing or turning, so drivers always see the most critical areas.

Kit includes:

- 7" color monitor (also sold separately, 710344)
- Mini Box Camera with heater
- 65' cable

ITEM	PART #
Standard Camera Observation Kit	760920

5" LCD Color Monitor



- 5" diagonal screen
- Waterproof (IP67 rating)
- Single camera view
- Three camera inputs
- Designed for open-station cabs

ITEM	PART #
5" LCD Color Monitor	710528

Cable Kit

Cable Kit for Tractor/Trailer



Kit includes:

- 5' coiled cable with small
- 5-pin plugs
- Two 33' cables with 5-pin, panel-mount receptacles



512399

5' Cable Kit for tractor/trailer

ITEM

support and warranty

Experience complete solutions including 24/7/365 Support. Our team of experts is standing by to offer tech support, diagnose symptoms and provide feedback and instructions to reduce downtime.

Support: 877.726.4617

REI's Limited Warranty

Our warranty covers failures due to defects in materials and workmanship which occur during normal use. We will repair products, free of charge, as follows:

- Within 90 days from the date of original purchase speakers, antennas and housings
- Within one year from the date of original purchase radios

For warranty service, call our Customer Service at 877.726.4617, Monday through Friday, 7 a.m. – 5 p.m. CST.



6534 L Street, Omaha, NE 68117 800.228.9275 | 402.339.2200

count on us around the clock

radioeng.com | 24/7/365 Support